




HDY-D368VUF3S

8 MP 4-IN-1 Coaxial ColorVu Fixed Turret Camera



■ Features

- 4-in-1 HDCVI / HDTV/AHD / CVBS optional output
- 4K resolution 3840 x 2160
- Ultra low illumination 0.01Lux
- Up to 300M long distance and high speed real time monitoring
- OSD menu control up the coaxial cable (UTC)
- Day/Night (ICR), AWB, AGC, DNR, D-WDR, Flip
- Lightning protection
- Strong water-proof housing, IP66
- 2 pcs warm Led, distance 20-30 meters
- 3.6 mm fixed lens





HDY-D368VUF3S

8 MP 4-IN-1 Coaxial ColorVu Fixed Turret Camera

■ Specification

Camera

Image Sensor	1/2.8" 8 Mega pixels CMOS
Chipset	Sony IMX415+TP3818
Effective Pixels	3840(H)×2160 (V)
Video Resolution	4K@12.5/15fps (PAL/NTSC)
Electronic Shutter	AUTO, 1/25 -1/10,000s
Min. Illumination	0.01Lux@F1.2(AGC ON), 0Lux IR on
Video System	PAL/NTSC
Video Output	1 channel, HDCVI / HDTVII/AHD/CVBS, adjustable
Video Switch	DIP switch
Mic	Yes (TVI Mode available)
Day/Night	Auto/Color/(B/W)/EXT
WDR	Digital WDR
White Balance	ATW/Manual
AGC/BLC	Support
DNR	2D NR
OSD Menu	Multiplelanguages OSD menu control up the coaxial cable (UTC)

IR Led

IR Led	2 pcswarm Led
IR Distance	20-30M

Lens

Focal length	2.8mm fixed lens
--------------	------------------

General

Power Supply	12 VDC ± 10%
Power Consumption	<5 W
Operating Temp.	-20°C-(+60)°C, 10%-90%RH







HDY-D368VUF3S

8 MP 4-IN-1 Coaxial ColorVu Fixed Turret Camera

■ Available Model



HDY-D362VUF3S HDY-D365VUF3S HDY-D368VUF3S

■ Dimension



■ Accessory

■ Optional



Uin Technology Co., Ltd.

+86-871 63586112

www.uin-tech.com

4F,Block 7 Lijincheng High Tech Garden,Longhua District,Shenzhen China

