

### DS-7104NI-S1/W Wi-Fi NVS











## **Key Features**

- Easy and quick wireless installation
- All cameras can be linked with NVS through one scan
- Secure and integrated video storage, all videos are stored in NVS
- Up to 512 GB Micro SD card storage capacity
- Remote mobile phone management, all functions can be performed through Hik-Connect, such as camera adding, two-way audio, live view, playback, etc.
- Accurate motion detection function





# Specification


Video and Audio			
IP Video Input	4-ch		
Incoming Bandwidth	20 Mbps		
Outgoing Bandwidth	20 Mbps		
Decoding			
Stream Type	Video, Video & Audio		
Recording Resolution	6 MP/5 MP/4 MP/3 MP/1080p/UXGA /720p/VGA/4CIF/DCIF/ 2CIF/CIF/QCIF		
Network			
Network Interface	1, RJ-45 10/100 Mbps self-adaptive Ethernet interface		
Wireless Parameter			
Frequency Band	2.4 GHz		
Antenna Structure	High gain antenna		
Transmission Speed	150 Mbps		
Transmission Standard	IEEE 802.11b/g/n/ax		
Auxiliary Interface			
SD Card	32G/64G/128G/256G/512G		
General			
Power Supply	12 VDC, 1 A		
Consumption			
Working Temperature	-10 °C to 55 °C (14 °F to 131 °F)		
Working Humidity	10 to 90 %		
Dimension (W × D × H)	163 x 125 x 26 mm (6.4" × 4.9" × 1.0")		
Weight	≤ 500 g		
Others			
RESET button	Support		
Power Indicator	Solid on: Device is powered up;		
	Solid off: Device is powered off or power supply exception occurs;		
	Flickering: Device is being restored		
Online Indicator	Solid on: Network is connected;		
	Solid off: Network is disconnected or network exception occurs		
Wi-Fi Indicator	Solid on: Wi-Fi is initializing or there is no data transmission through Wi-Fi;		
	Solid off: Wi-Fi exception occurs;		
	Flickering slowly (on for 2 sec and off for 2 sec ): Wi-Fi is initialized and there is data		
	transmission through Wi-Fi		
SD Card Indicator	Solid on: SD card is detected;		
	Solid off: No SD card is detected;		
	Flickering: There is data transmission		




### Dimension











scale/1:1;Unit/mm





### Physical Interface



No.	Description	No.	Description
1	LAN network interface	3	Reset button
2	Micro SD card interface	4	Power supply

#### Available Model

DS-7104NI-S1/W

#### Headquarters

No.555 Qianmo Road, Binjiang District, Hangzhou 310051, China T+86-571-8807-5998 www.hikvision.com

Follow us on social media to get the latest product and solution information.





HikvisionHQ



HikvisionHQ





