



IPY-D366LDS2RB

**6MP Face Detection VCA AI Human & Vehicle Detection
Dual Light+Red Blue Flashlight 2 Way Audio PoE Turret IP Camera**



■ Features

- 24/7 Colorful Imaging
- 1/2.8" CMOS Sensor
- 6MP HD Resolution Output
- Face Detection, Human&Vehicle Detection, Line Crossing, Area Entry/Leaving Detection, Area Intrusion Detection
- Low illumination 0.01Lux
- Day/ Night (ICR), AWR, 2D/3D-DNR, IR-CUT
- Motion Detection, Privacy Mask, Flip
- RTSP and Onvif 23.12 Compatible
- H.265/ H.264 Dual-stream Media Server
- Easy-to-use P2P Cloud Service
- Multi web browser, PC Client, Mobile APP, Remote access
- RJ45 100mbps Network Port, IEEE802.3af PoE
- Lightning Protection 4000V
- Strong Water-proof Housing, IP67
- 2pcs IR LEDs & Warm Light, 2pcs Red&Blue lights, Light Distance:20-30M
- Warm Light on and Colorful Imaging When Detect Human Body or Vehicle
- 2.8mm F1.6 Fixed Lens
- Two Way Audio / SD Slot / Reset Button
- Support audio alarm to warn intruders off





IPY-D366LDS2RB

6MP Face Detection VCA AI Human & Vehicle Detection
Dual Light+Red Blue Flashlight 2 Way Audio PoE Turret IP Camera

■ Specification

Camera

Image Sensor	1/2.8" Sony IMX335CMOS
Soc Chip	SigmastarSSC377D
Effective Pixels	3072(H)×2048 (V)
Exposure Shutter	AUTO/Manual: 1/10s ~ 1/8000s,Max.Shutterspeedadjustable
Day/Night	Auto(Active/passive/schedule)/Day/Night, switch threshold, sensitivity
Image Adjust	Brightness,Saturation,Sharpness,Contrast,Denoise (0-100%) adjustable
White Balance	AWB/MWB
Light Mode	Smart(dual-light) / Pure Infrared / Pure White light, adjustable
Light Control	Auto/Manual,Brightness level(0-100%) adjustable
DNR	2D/3D DNR

Encode

Video Standard	H.264/H.265
Video Resolution	Main Stream:25fps@6MP(3072x2048),30fps@5MP(2592x1944)/4MP(2560x1440)/3MP(2304x1296)/1080P/720P Sub stream: 10fps@720P,30fps@D1(704x576)/(720x480)/VGA(640x480)/QVGA(640x360)
Video Bitrates	Main stream: 64kbps-8MbpsSub stream: 64kbps-2048kbpsVBR/CBR , quality(1-9), GOP(1-128)
Image Rotation	0 / 90 / 180 / 270 degree adjustable
Border Crop	X crop, Y crop
Image Mirror	horizon / vertical / horizon&adjustable
OSD Overlay	Font size(1-4), position,Time, Title, AM/PM, Color, User OSD, Alarm OSD
Privacy Mask	4 areas
Region of Interest	ROI: Each stream support 8 areas
Audio Standard	G.711-u/G.711-a/AAC
Built-in Mic	Yes
Built-in Speaker	Yes
Edge Storage	Micro SD, up to 512GB (Micro SD card is not built-in)

Led

Light	2pcs IR LEDs & Warm Light, 2pcs Red&Blue lights
Light Distance	20-30M

Lens

Focal length	F1.6 2.8 mm FixedLens
--------------	-----------------------

Language

English, simplified Chinese, Chinese Traditional, Japanese, Korean, German, Polish, Italian, Turkish, Ukraine, Russian, etc.





IPY-D366LDS2RB

6MP Face Detection VCA AI Human & Vehicle Detection
Dual Light+Red Blue Flashlight 2 Way Audio PoE Turret IP Camera

■ Specification

Smart Detection

Motion Detection	Yes
Digital IO Alarm	
Human & Vehicle Detection	Yes, (2-20 meters)
Cross Line Detection	Yes, 4 lines
Perimeter protection	Yes, 4 areas
Face Detection	Yes, (1-5 meters)
Target DetectionType	HumanShape, vehicle, non-motor vehicle, Pet, Face (12-1000 pixel)
Trigger Action Linkage	Snapshot, Record, Relay(Red-blue Led flash) optional, White LED Flash, Voice siren, Micro-SD, Email, FTP, NAS storage (NFS)
Simultaneous Detection	Maximum 16 targets simultaneous detection
Storage Type	Schedule/Trigger: Micro-SD(512G) , Email,FTP, NAS (NFS)

Network Services

Protocol	HTTP(s)/RTSP/FTP/SMTP/DHCP/NTP/DST/RTP/RTMP/P2P/HiK/IPv4/IPv6/NFS
P2PMobile APP	Android, IOS
Web Access	IE, Firefox, Chrome, Edge, Safari, etc.
PC Tool	Windows, Mac
ONVIF	23.12compatible (profile S G T M)

General

Network Port	1-RJ45, 100Mbps, POE optional
Power Supply	12 VDC $\pm$ 10%
Power Consumption	< 8 W
Operating Temp.	-20°C-(+60)°C, 10%-90%RH






IPY-D366LDS2RB

6MP Face Detection VCA AI Human & Vehicle Detection
Dual Light+Red Blue Flashlight 2 Way Audio PoE Turret IP Camera

■ Available Model

IPY-D366LDS2RB IPY-D368LDS2RB

■ Dimension



■ Accessory

■ Optional

ZJ-02



JB-04



Uin Technology Co., Ltd.

+86-871 63586112

www.uin-tech.com

4F,Block 7 Lijincheng High Tech Garden,Longhua District,Shenzhen China

